




PROTECTS, HEALS & MOISTURISES

Discover a Revolutionary Glove that
Protects Both You and Your Skin.



NITRILE to PROTECT



Authorised Distributor

Made from 100% all natural oats, COATS® is recognized by the FDA as a skin protectant. It is the ONLY glove coating that actively provides therapeutic benefits to your skin, while protecting you from harmful substances and pathogens.

Characteristics

COATS® barrier technology is a totally powder free, all-natural physical barrier between the glove surface and the wearer's skin, utilizing the anti-irritant and anti-inflammatory properties of colloidal oatmeal. In our Nitrile COATS® gloves, the colloidal oatmeal barrier not only shields the skin surface, it also creates a moisturizing and pH balancing environment that helps dry, damaged skin to repair itself which helps keep healthy skin healthy.

FEATURES: Fingertip textured, Powder free, not made with natural rubber latex, Chemo drugs tested, Lab chemical tested, Ambidextrous, Standard cuff, Dawn blue colour.

PACKAGING: 200 gloves per box for XS to L, 180 gloves per box for XL



GloveOn COATS		
Length (mm)	≥ 240	
Thickness Measurements (mm)		
Palm (centre of Palm)	0.07 ± 0.02	
Finger (13mm \pm 3mm from tip)	0.09 ± 0.02	
Physical Properties	Before Ageing	After Ageing
Tensile Strength (MPa)	≥ 18	≥ 16
Elongation (%)	≥ 500	≥ 400
Inspection Levels & AQL	Inspection Level	AQL
Watertightness	G1	1.50
Physical Dimensions	S2	4.00
Tensile Strength	S2	4.00
Visual Inspection (Major)	S4	2.50
Visual Inspection (Minor)	S4	4.00
Particulate Residue	N = 5	$\leq 2\text{mg/glove}$
Colloidal Oatmeal Content	N = 5	$\geq 5\text{mg/glove}$

Chemotherapy Drugs and Concentration
(Tested for Resistance to Permeation by Chemotherapy
Drugs as per ASTM D6978-05 Test Report PN 104145B)

Minimum Breakthrough
Detection Time (minutes)

Carmustine (BCNU), 3.3mg/ml (3,300 ppm)	0.7 minutes
Cisplatin, 1.0mg/ml (1,000 ppm)	>240 minutes
Cyclophosphamide (Cytosan), 20.0mg/ml (20,000 ppm)	>240 minutes
Dacarbazine (DTIC), 10.0mg/ml (10,000 ppm)	>240 minutes
Doxorubicin Hydrochloride, 2.0mg/ml (2,000 ppm)	>240 minutes
Etoposide (Toposar), 20.00mg/ml (20,000 ppm)	>240 minutes
Fluorouracil, 50.0mg/ml (50,000 ppm)	>240 minutes
Methotrexate, 25.0mg/ml (25,000 ppm)	>240 minutes
Mitomycin C, 0.5mg/ml (500 ppm)	>240 minutes
Paclitaxel (Taxol), 6.0mg/ml (6,000 ppm)	>240 minutes
Thiotepa, 10.0mg/ml (10,000 ppm)	1.2 minutes
Vincristine Sulfate, 1.0mg/ml (1,000 ppm)	>240 minutes

WARNING: Carmustine and Thiotepa, at the tested concentration, degraded COATS nitrile glove at 0.7 minutes and 1.2 minutes, respectively. The safe use of gloves in chemotherapy treatment is solely the decision of clinicians authorised to make such decision.

Contains Colloidal Oatmeal USP, A Skin Protectant Drug.

RE-ORDER CODES;

CTS38XS X-SMALL, CTS38SS SMALL, CTS38MM MEDIUM, CTS38LL LARGE, CTS38XL X-LARGE

Available online from www.solmed.com.au

PHONE ORDERS: 02-47210471

Solmed Pty Limited
Unit 10, 42-44 Abel St, Penrith 2750